Technical Data



Model	YC-25	YC-27	YC-28	YC-UV26
Photo			HIRE Water Hile Technology Co., Ltd	
Machine Control	Wirless Mobil or Laptop or laptop Wireless Mobil & Pad or Laptop			
Digital Transfer	Fiber Cable			
Inkjet Technology	Variable droplet technology, Minimum ink droplets 3.5PL, the largest 27PL			
Driving Program	WindowsXP, Windows 7, Windows 8, Windows 10			
LED Light	N/A	N/A	N/A	Air cooling LED Light
Actual Size(cm)	264(H)x450(W) cm	264(H)x450W) cm	264(H)x600(W) cm	264(H)x450(W) cm
Printing size	No Limit per photo joint (Precision Laser Cross + Machine Memory,)			
Printing Head	1pcs Epson DX7		2pcs Epson DX7	2pcs Epson Heads
Printing Speed	3.5-12 m²/hour		5-20 m²/hour	3.5-12 m ² /hour
Priinting Mode	Testing mode, Production mode, High definition Mode, Photo mode			

Technical Data



Model	YC-25	YC-27	YC-28	YC-UV26	
Photo			Hibrary Technology Co., Ust		
Printing Resolution	720x 540dpi, 720x 720dpi, 720x 1080dpi, 720x 1440dpi, 720x 2880dpi				
Certificate	CE Certificate for wall printer, RoHS certificate for lnk				
Printing Photo Mode	Any Mode				
Printing Photo Format	Any format like jpg, Ai, PDF, BMP, png, PSD etc.				
Ink Supply System	Continuous Ink Supplies, ink tank 80ml x 4, CMYK color Ink tank 80ml x 6, CMYK+W			· ·	
Ink	High Color Saturation, Environmental-friendly synthesis ink UV Ink				
Working environment	0-55 degree Celsius				
Patent	Invention patent, appearance patent, utility model patent				
Motor	Seror Motor, instead of Raste, that can stable work in outside				
Lead Rail	High precision imported lead rail				

Technical Data



Model	YC-25	YC-27	YC-28	YC-UV26	
Photo			HIRE Waren MAE Technology Co Ltd		
Mainbord Configuration	4-core CPU, 2GB DDR memory	8-core CPU, 4GB DDR memory			
Mainboard	Imported Main Chip, Car garde PCB, can work outdoor and indoor long time				
Lauguage	Chinese, English				
Application material	Suitable for a variety of special materials: interior and exterior painted walls, brick wall, Rolling gate, wood, canvas, tiless, glass, paper, Pleat window, blind, decoration board, calcium silicate board with microporous and so on				
Photo life	More than 10 years, washable and anti ultraviolet				
Printing Clean	Automatic Clean System				
Sensor	2pcs Imported sensors				
Laser Cross Sign	1pcs High Precision Laser Cross Sign				
Vertical Part Weight	about 35kg				
Packing	Free fumigation 9 layer polywood				